

Emergency communication system

From Wikipedia, the free encyclopedia

An **emergency communication system (ECS)** is any system (typically, computer-based) that is organized for the primary purpose of supporting one-way and two-way communication of emergency messages between both individuals and groups of individuals. These systems are commonly designed to integrate the cross-communication of messages between a variety of communication technologies, forming a *unified* communication system intended to optimize communications during emergencies.

Contents

- 1 Emergency communication vs. notification
 - 1.1 Alternate and related terms
- 2 Need
- 3 Case studies, failures and successes
 - 3.1 New York City World Trade Center attack
 - 3.2 London Underground bombings
 - 3.3 2011 Joplin, Missouri tornado
 - 3.4 Hurricane Katrina
 - 3.5 Virginia Tech Massacre
 - 3.6 2011 Tōhoku Earthquake
 - 3.7 2012 Aurora movie theater shooting
 - 3.8 Hurricane Sandy
- 4 Attributes
 - 4.1 Timeliness and speed of delivery
 - 4.2 Ease of use
 - 4.3 Affordability
 - 4.4 Providing instructions
 - 4.5 Specific audiences or recipients
 - 4.6 Multiple communication paths/redundancy
 - 4.7 Interoperability
 - 4.8 Product versus service
 - 4.9 Premises based versus non-premises based
- 5 History
 - 5.1 Early systems
 - 5.2 Modern systems
- 6 Broadcast technologies
 - 6.1 Infrastructure-independent
 - 6.2 Infrastructure-dependent
- 7 Communication devices
 - 7.1 Public and shared devices
 - 7.2 Private devices
 - 7.2.1 Mobile phones

- 7.2.2 Line-based phones
- 7.2.3 SMS/Text messaging
- 7.2.4 Social Media - Syndicated Emergency Communications
- 7.2.5 Electronic mail
- 7.2.6 Emergency-oriented instant messengers and computer screen pop-ups
- 8 Limitations
- 9 See also
- 10 External links
 - 10.1 Government agencies
 - 10.2 Miscellaneous resources
- 11 References

Emergency communication vs. notification

An emergency notification system refers to a collection of methods that facilitate the one-way dissemination or broadcast of messages to one or many groups of people with the details of an occurring or pending emergency situation.^[1] Mass automated dialing services such as Reverse 911, and common siren systems that are used to alert for tornadoes, tsunamis, air-raids, etc., are examples of emergency notification systems.

Emergency communication systems often provide or integrate those same notification services but will also include two-way communications typically to facilitate communications between emergency communications staff, affected people and first responders in the field. Another distinguishing attribute of the term "communication" may be that it implies the ability to provide detailed and meaningful information^[2] about an evolving emergency and actions that might be taken; whereas "notification" denotes a relatively more simplistic one-time conveyance^[3] of the existence and general nature of an emergency (such as Emergency Rescue Location^{[4][5]}).

Alternate and related terms

Being a collection of methods that are often incorporated in many diverse settings in varying ways, there are numerous words, terms, phrases, and jargon that are used interchangeably among the entities that utilize or have a need for emergency communication systems; but in most instances, these are all used to refer to the same or substantially similar concept. For example, use of the terms “emergency communications” and “disaster communications” definitively refer to the same concept, with the only potential difference lying in the connotation, or emotional meaning.^{[6][7]}

- | | | |
|----------------------------------|---------------------------------|--|
| ▪ Emergency Notification | ▪ Emergency Management | ▪ Public Mass Notification |
| ▪ Emergency Notification System | ▪ Emergency Management System | ▪ Public Notification System |
| ▪ Emergency Notification Service | ▪ Emergency Management Software | ▪ Mass Notification |
| | ▪ Alerting System | ▪ Mass Notification System |
| | ▪ Emergency Alert | ▪ Network-centric emergency notification |

- Emergency Communications
- Emergency Communications System
- Emergency Communications Service
- Emergency Response Software
- Unified Emergency Communications
- Emergency Warning System
- Emergency Alert System (not to be confused with EAS)
- Emergency Alerting System
- Notification System
- Unified Communication System
- Network-Centric Emergency Communication
- Unified Emergency Communication System
- Disaster Communication System
- Emergency Public Warning System

Need

Emergencies place demands on communication processes that are often significantly different from the demands of non-emergency circumstances. Emergencies often involve escalating and evolving events that demand high performance and flexibility from the systems that provide emergency communication services. Message prioritisation, automation of communication, fast message delivery, communication audit trails, and other capabilities are often required by each unique emergency situation. Inadequate emergency communications capabilities can have consequences that are inconvenient at best and disastrous at worst.

Case studies, failures and successes

New York City World Trade Center attack

During the September 11 attack in 2001, traditional telecommunications were stretched and overloaded. Phone networks along the entire East Coast were congested into uselessness.^[8] 911 operators were overwhelmed with calls and could do little more than offer encouragement because of the confusing information they were receiving.^{[9][10]} Communications between emergency services personnel were limited by a lack of interoperability between departments.^[11] Many fire-fighters died when the towers collapsed because they couldn't receive the warning that the police officers received from the New York City Police Department (NYPD) helicopters.^[12] Amateur radio played a large role in facilitating communications between the various emergency departments, which operated on different frequencies and protocols.^[13]

London Underground bombings

On the day of the 7 July 2005 London bombings, mobile phone networks, including Vodafone, reached full capacity and were overloaded by 10:00 a.m., only an hour and ten minutes after the bombs went off.^[14] Because of an antiquated radio system, the damaged trains were unable to communicate with the Transport for London control center or emergency personnel,^[15] while senior emergency services

managers, of the London Ambulance Service in particular, were forced to rely on the already overloaded mobile phone network because of the lack of digital radios.^[16] The Access Overload Control, implemented only in a 1 km area around Aldgate Tube Station, wasn't helpful because many officials didn't have ACCOLC-enabled mobile phones.^[17] In the aftermath, the London Assembly determined the need for a digital radio communications system in London that can operate underground.^[18]

2011 Joplin, Missouri tornado

161 people were killed and at least 990 injured when an EF5 multiple-vortex tornado hit Joplin, Missouri.^[19] Because Joplin is located in a tornado-heavy area of the country, many people considered the tornado sirens routine and ignored them.^[20] Instead, many residents waited until they received confirmation from another, non-routine, source, such as seeing the tornado, a radio or TV report, or hearing a second siren.^[21] In the aftermath, an assessment team recommended that emergency warnings take risk perception into account to convey a sense of urgency.^[22] NOAA Officials are considering ways to change the warning system to distinguish smaller tornadoes from more deadly ones.^[23]



Emergency notification on highway approaching London

Hurricane Katrina

When Hurricane Katrina, a Category 5 hurricane, hit New Orleans, the emergency communications systems were completely destroyed, including power stations, internet servers, mobile phone towers, and 911 services.^[24] The Federal relief workers' satellite phones weren't interoperable, even when they did work.^[25] A few AM radio stations were able to continue broadcasting throughout the storm, notably WWL Radio, which remained on the air by broadcasting from a closet.^[26] Amateur radio was instrumental in the rescue process and maintained signals when 911 communications were damaged or overloaded.^[27]

Virginia Tech Massacre

The Virginia Tech Massacre, which resulted in the death of 33 people, helped propel discourse for effective emergency communication systems in schools. Virginia Tech had systems already in place, including e-mail and text notifications, but lacked a cohesive plan for using them.^[28] No warnings were sent out until after the event, two and a half hours after the initial shootings.^[29] Virginia Tech has since updated its emergency communications systems, especially public ones, since students can't always check e-mail in a timely fashion and professors often request that wireless devices be turned off in class.^[30] Because the massacre occurred within a 10-minute period, other schools have also implemented new, improved emergency communications systems with an emphasis on speed of communication.^[31]

2011 Tōhoku Earthquake

The Japan Meteorological Agency's (JMA) early warning system, which uses seismometers, was able to alert millions of people across Japan about the impending earthquake via radio, mobile phone networks, including Docomo, AU, and SoftBank, and television, including both NHK channels and cable channels. The tsunami warning system alerted people shortly after, although the tsunami was larger than expected.

^[32] In areas with infrastructure still intact, even though both landline and mobile phone lines were not functioning as might be expected, the Internet was still accessible. In the hardest hit areas, particularly Sendai and other areas of Miyagi, Iwate, and Fukushima Prefectures, satellite phones were often the only form of communication that functioned reliably.^[33] The following nuclear disaster at the Fukushima Daiichi Plant was rife with communications problems. No communications plan was in place, internal communications were poor, external communications were slow, and the public quickly lost confidence in TEPCO and the nuclear industry.^[34] The primary criticism was a failure of the government to release accurate information about the disaster.^[35] Calls were made for more transparency and promptness with future events.^[36]

2012 Aurora movie theater shooting

During the 2012 Aurora shooting on July 20, 2012, the gunman, James Eagan Holmes, released tear gas before opening fire during a showing of *The Dark Knight Rises*, causing many of the moviegoers to mistake the attack for part of the film's special effects.^[37] According to preliminary reports, the suspect initially went into the theater as a patron. He then exited and propped open an emergency exit, while he went to his car to get his bulletproof vest and weapons. He then attacked after reentry through the propped-open door.^[38] In this type of situation, there could have been considerable warning. Technology exists that can warn about open doors (such as an emergency door that shouldn't normally be open), and can send clear warning and instructions to any number of devices, including a movie screen. There is also a significant opportunity to consider the use of the theater's fire alarm system. Shortly after the assailant began shooting, the building's fire alarms were sounded. The natural inclination, in response to a fire alarm, would be to evacuate the building, but in this case, the assailant was specifically targeting people who attempted to exit.^[39]

Hurricane Sandy

Hurricane Sandy hit New York City, New Jersey, and the surrounding area on October 29, 2012, destroying thousands of houses and leaving millions without electricity and thus without internet, mobile phones, or landline communications.^[40] To prepare for the hurricane, many areas provided additional emergency help lines in case 911 wasn't available,^[41] The Federal Emergency Management Agency has strengthened its ability to respond to a disaster since the communications problems during Hurricane Katrina^[42] and using Twitter in its rescue efforts,^[43] and amateur radio operators were on standby to provide emergency communications.^[44] In the aftermath, up to 25% of mobile phone towers, network providers, and television stations were powerless.^[45] Communications have been steadily improving, however, although the hardest hit areas are still experiencing serious power outages.^[46]

Attributes

Timeliness and speed of delivery

An emergency, as defined by Merriam-Webster, is an unforeseen combination of circumstances or the resulting state that calls for immediate action.^[47] As such, it should be considered critically important that any communication about an emergency be timely and quick to disseminate, in order to mitigate damage or loss of life. For example, during the Virginia Tech massacre, about two hours had passed before the first communication (an email) was sent to staff and students; and by that time, the gunman had already entered and secured a building in which he was shortly to begin his attack. In that case, it wasn't until about 20 minutes after the shootings began, that a loudspeaker announcement was made for people to take cover. In many cases, it's likely obvious that mere seconds and minutes are absolutely critical.

Ease of use

During a crisis, the people who use an ECS need to quickly and easily launch their notifications and they need to be able to do so in a way that securely provides them with confidence and an intuitive, familiar and easy-to-use interface that can be accessed from any location.^[48] An emergency communication system that's designed for non-technical users will ensure successful administration and usage; and during some life-threatening emergency situations, campus administrators must be able to react quickly and trigger the alert system swiftly. Yet emergency alert is probably among the least used and least familiar processes. Ease-of-use therefore is critical to the effectiveness of an emergency communication system.^[49]

However, in order to support a robust and capable emergency communication ability, this ease of use should not preclude the utilization of a complex, technologically advanced system. A sufficiently advanced system is required to coordinate multiple components to act in concert, to initiate and propagate emergency communications in any manner of ways. A distinguishing factor is in such a system bearing these advanced capabilities, while still being easy for the user to operate for both emergency and everyday communications (*so users can feel comfortable with it*) — not only for effective emergency communication, but also for an organization to realize the most return on investment, as well as the user being familiar enough with its operation as to effectively operate it under stressful emergency situations. such as in earthquake, tsunami, etc.

Affordability

Overall, the more affordable the cost of procuring, installing, and maintaining an emergency communication system is, the more prolific such systems may become; and the more prolific these systems are, the more likely it is that these systems will be available to aid in times of emergency in more locations. According to Federal Signal, beyond supporting emergency response, today's mass notification systems have proven to be a valuable asset for everyday, non-emergency, intra- and inter-plant communications. This has become particularly evident in the deployment of interoperable, multi-device communications technology that not only enhances overall plant communications, but provides a host of useful software-based management and administrative tools. Additionally, many of the more

traditional approaches to mass notification, i.e., public address and intercom systems, e-mail, and voice and text messaging, provide everyday functionality for plant communications and process control that represents attractive potential for return on investment.^[50]

Providing instructions

A clearly needed attribute of any modern emergency communication system is the ability to not only provide notification of an emergency, but to also provide clear and actionable instructions for how to respond to an emergency. In a study by the Rehabilitation Engineering Research Center for Wireless Technologies, it was revealed that regardless of the initial form of notification, a secondary form was necessary before action would be taken. This supports the important observation that providing clear and concise instructions may reduce dependency on such secondary verification; and thus, providing instructions may save lives in an urgent emergency situation.^{[51][52]}

Specific audiences or recipients

Emergencies often require delivery of different versions of the same communication at the same time. For example, in an armed hostage-taking incident, occupants of a building may need to receive instructions to lock and barricade the door until further notice, while first responders to the incident need to be aware of the lockdown instructions and be provided more specific details of the hostage-taking event to inform their actions.

Using the hostage-taking example, some of the more modern emergency communication systems such as Siemens Sygnal or MessageNet Connections state the ability to deliver a single message that provides full details to first responders while filtering that same message to provide more limited instructions to lock doors to the general public. By utilizing a single message that segregates content between types of users fewer messages have to be created and sent, which may also save time.

Multiple communication paths/redundancy

There should be multiple means of delivering emergency information so that if one would fail, others may get through.^[53] Also, according to the Partnership for Public Warning, research shows clearly that more than one channel of communication will be consulted by people at risk in order to confirm the need for action.^[54] The public expects to be contacted in a variety of ways. As evidenced by various historical and recent events, besides phone calls and emails, citizens also expect to be able to use and be reached via text messaging, and fax. In one exemplary incident, the 2012 Wisconsin Sikh temple shooting, barricaded victims relied on sending text messages for help, in addition to traditional phone calls.^[55] In addition, the public may look to social media as another vehicle to receive messages and check in on updates.^[56]

Additionally, the Partnership for Public Warning states, “A single warning is frequently insufficient to move people to action, especially if it cannot be confirmed by direct observation. For most people the first warning received captures their attention and triggers a search for corroboration, but cannot be

relied on to elicit the desired behavior. Scientific research supports the common-sense observation that people are disinclined to risk being fooled by a single alarm that might prove false or accidental. Effective warning requires the coordinated use of multiple channels of communication.^{»[57]}

Interoperability

To support these attributes, a "unified" emergency communication system should be able to connect to and communicate with other related systems, hence the term. According to the Partnership for Public Warning, a fundamental problem is the lack of technical and procedural interoperability among warning originators, system providers, delivery systems, and warning recipients. Originators of warnings must undertake expensive, redundant tasks using multiple, dissimilar tools and techniques to take full advantage of today's warning systems.^[57]

Also, there are multiple ways that an emergency communication system might obtain an original warning. One example of this might be the case of a building's fire control system dispatching a notice that a smoke detector has activated. A properly designed emergency communication system should be able to receive that notice and process it into a message that the building's occupants can understand and take action on in order to save life and property. Another example might be of the National Weather Service sending an EAS severe weather warning (e.g. via RSS feed or similar). In that case, the emergency communication system should be able to process and disseminate the warning in a similar way as the smoke detector example, and inform people of what actions to take.

The ability to interoperate should also consider the need to be both forward and backward compatible with older and yet-to-be-conceived technologies. Introduction of a system that cannot interoperate with previously deployed equipment creates potentially serious barriers to effective operation.^[58]

Product versus service

An emergency communication system may be composed of a product and its associated hardware and software, as owned by the entity using it (e.g., an on-site paging network), or as a service owned and provided by a third-party (e.g., a cellular carrier's SMS network). Each have their own advantages and disadvantages; however, despite perception otherwise, services have some major inherent problems when it comes to effective emergency communications. For instance, using SMS as one example, due to the architecture of cellular networks, text messaging services would not be able to handle a large volume of communications in a short period of time, making this particular type of service a potentially ineffective emergency communication method.^[59]

Premises based versus non-premises based

Premises based emergency communication systems are those which primarily or wholly exist in the same geographical or structural area as it serves, while non-premises based emergency communication systems are those which exist in a different geographical or structural area. There are advantages and



A fire control system's RS-232 data connection which an emergency communication system may interface with

disadvantages of each. Often, non-premises based systems are slower than those that are premises-based, because at the very least, the different locations need to be connected via (usually public) data networks, which may be susceptible to disruption or delay.

History

With the growth of populations and the evolution of technology, the methods for communicating emergency situations have also changed, as has the definition for what might constitute an “emergency.” These methods would also very likely depend on a particular region’s culture and location, as well.

Early systems

In America’s formative years, common means of emergency communications may have mostly consisted of church bells being rung or messengers on horseback. Later, as technology developed, the telegraph became a nearly instant method of communicating. From there, radio communications, telephones and sirens became commonplace. After the surprise attack on Pearl Harbor, by the Japanese in 1941, Civil Defense sirens became popular and resulted in their widespread use in military bases and towns across America.^[60] A particular weakness of these systems is that they largely lack the ability to inform people what they should do.



Early civil defense type of siren

Fire alarm systems were first developed around the late 1800s and other related life-safety detectors associated with those systems (e.g., duct detectors, heat detectors, etc.) were developed around the early 1900s. These constitute the first automated systems used in public and private buildings that are in normal and widespread use today. These systems, although originally designed for fire, have also been used for many other types of emergencies, sometimes effectively and sometimes not. For instance, if a fire alarm has been activated (as a general warning device) during an active shooter incident, the typical reaction to evacuate may not be the safest course of action; instead, a shelter in place action may be better.^[61] As an example, during the 2012 Aurora shooting, a mass shooting event that happened at the Century 16 movie theater in Aurora, Colorado, the assailant began targeting victims as they attempted to exit the theater; in which case, it would have been unwise to heed the fire alarm, that was sounding,^[62] and evacuate.

Modern systems

Today, modern communication tools such as smartphones, flat-panel digital signage, GPS, and text-to-speech (among many others) are changing the way in which people are notified about emergencies. Of added value, with these more modern tools, is the ability to provide more specific instructions; so that, instead of merely notifying people about an emergency, it is now possible to provide specific instructions on what to do in order to mitigate the effects of an emergency. Furthermore, those instructions might even be customized for those peoples' specific and unique circumstances. For example, smart-phones may have geo-location abilities that would allow a map to be shown of safe locations (and perhaps routing there-to), relative to those devices' specific users — all with a singular alert being sent as the source of those warnings.

Broadcast technologies

Perhaps the oldest or most basic form of public communication is that which includes such staples as over-the-air television, sirens, radio, etc. More modern components (using the same concept) might include lights and Giant Voice systems. These all have one thing in common: they broadcast indiscriminately to anyone who has the means to receive the message; whether they are simply in the immediate area or require some sort of receiving device.

Broadcast technologies use point-to-point communications methodology and may either require infrastructure or not. Examples of broadcast technologies requiring infrastructure might include such things as Reverse 911 and broadcast-affiliate networks.

Infrastructure-independent

Broadcast technologies that do not depend on man-made infrastructure to convey communication may be least susceptible to disruption during disasters and emergencies. Some examples of infrastructure-independent technologies are:

- **Short-wave Radio**

Short-wave (or Amateur) radio is a relatively long range method of communicating using radio waves. Because of the nature of radio wave propagation, communications made via short-wave radio can be intercepted and heard by anyone with the proper equipment and knowledge. However, due to their reliance only on electrical power (which can be obtained via batteries, solar, and other alternative means) and Earth's ionosphere, they are ideal for some of the worst case emergency scenarios. One disadvantage may be that one requires training and licensing to transmit using a short-wave radio, in many countries.

- **Two-way Radio**

Two-way radio consists of at least two devices (typically portable and hand-held) that are capable of transmitting and receiving communications to each other, using radio waves. Similar to short-wave, this type of communication is also able to be intercepted and heard by anyone with the proper equipment. However, unlike short-wave, this communication equipment is restricted by range (usually several miles, at most), but is relatively simple to operate and the main power source is usually provided by batteries. Two-way radios are in-use by many emergency responders on a daily basis, so they require minimal concentration to operate in the stress of an emergency situation, since the person operating it is already familiar with it. Additionally, many non-professionals may use unlicensed two-way radios, as is common with CB radio, Family Radio Service or PMR446.



Short-wave Radio



Two-way Radios



Weather Radios

- **Weather Radio**

A weather radio is a device which receives normal and emergency weather broadcasts. It may automatically turn on whenever an emergency is eminent or occurring, providing an alarm as well as a description of the situation. Anyone with a weather radio device can receive these broadcasts.

- **Internet Based Communication**

There is increasingly an opportunity to use infrastructure-independent network connection, sometimes called *Network-centric emergency notification*, for emergency communication. The emergence of initiatives such as Google's Project Loon offer opportunities for networked communication when infrastructure-dependent communication is hindered in emergency situations.^[63]

Each device has its own pros and cons (<http://www.zipscanners.com/resources/emergency-communication-devices/>) given the emergency situation.

Infrastructure-dependent

Broadcast technologies that depend on man-made infrastructure to convey communication are susceptible to disruption if any part of that infrastructure is overloaded, damaged or otherwise destroyed. Some examples of infrastructure-dependent technologies are:

- **Audio Public Address Systems**

A system which can provide audio (usually spoken language) messaging capability, usually consisting of microphone devices, wiring, and speakers installed in public areas of buildings. These systems are typically located indoors or in smaller outdoor areas with multiple speakers, due to their speakers' individual volume being too limited for large areas. Usually connected together by wiring requiring electricity, these systems may be vulnerable to electrical disruption or any other event which results in the wires being severed or disconnected.



Audio public address speakers

- **L.E.D. Electronic Signs**

LED electronic signs use light-emitting diodes to display messages when connected over a network to an emergency communication system. LED signs, when deployed in large numbers on a network, can be used as visual alternatives to traditional audio public address systems. LED Signs are able to communicate effectively in loud environments where audio PA systems can be ineffective. When deciding whether or not to include LED electronic signs as part of an emergency communication system, it is important to realize that a lack of hearing-impaired persons does not negate the need for visual signs. Explosions and other events can render many hearing-able people effectively deaf, necessitating the inclusion of a



LED sign, in a wall-mounted orientation, depicting an emergency and the resulting action that should be taken to mitigate the emergency

visual alternative to audio PA systems. LED electronic signs have multiple valuable attributes that enhance public communications:

- Some emergency communication systems can deliver, share, and prioritize the display of messages on LED signs that have been sent by multiple people and systems.
- LED signs, when connected to an emergency communication system, have the ability to project the communication in a specific direction while loud speakers generally radiate communication in many directions.
- LED signs are manufactured in a large variety of shapes and sizes, with some models designed specifically for indoor use and very bright models designed for outdoor use.
- Because LEDs consume very little electricity, power over Ethernet (PoE) and power over RS232 can be used in conjunction with UPS power located in wiring closets to keep these devices functioning for a significant period of time during a general power outage in a building.
- Like audio PA systems, visual PA systems composed of LED signs are network-attached appliances that, unlike computer screen popup messages (*more information about this technology, below*), text messages, phone calls, etc., represent `Always On` technologies, which can be relied on to deliver the communication in real time without the risk that the device might be off, in use, or out of power.
- LED signs are available that can display messages in a single color, red-green-yellow characters, or full color, which allows for color coding of emergency messages when desired. These types of signs can be relatively affordable compared to digital signs and are easy to install, making them a common choice for organizations wishing to use electronic forms of visual communication. Common means of connecting these devices include Ethernet or serial communication cabling.
- In combination with audio PA systems, these devices can be used to achieve compliance with the ADA requirements for equal access to communications.

Government, public and private entities may use LED electronic signs for any purpose ranging from advertising to emergency management. For emergency utilization of these types of signs, it is often necessary to electronically control them in a unified and coordinated manner, using one of or a mixture of specialized hardware and software. There exist at least a few commercial methods that advertise this capability, for example Siemens Sygnal, Inova Solutions, and MessageNet Connections.^{[64][65][66]}

▪ **Combination Audio/Visual Public Address Devices**

Any device which combines the audio capability of a PA system with the visual capability of an electronic sign (usually of the L.E.D. variety). These, too, rely on infrastructure to operate.

▪ **Digital Signage**

Throughout the first decade of the twenty-first century, plasma televisions and other flat-panel LCD televisions and monitors have become commonplace in businesses, hospitals, schools, post-secondary institutions, government, airports, shopping malls, and financial institutions, etc.^[67] with that prominence, they have begun to play a major role in emergency communications.^[68] Similar to combination audio/visual PA devices, yet much more



LCD digital sign

advanced, digital signage monitors are capable of displaying high-resolution videos, pictures, multimedia presentations, text and other high-definition media. Typically digital signage can provide video, audio, presentation graphics and web page content abilities that can support the communication of an emergency. In addition, the graphical multimedia capabilities of digital signage can enable emergency wayfinding or egress routing that can be customized to the event and location of the emergency and the affected people.^[69]

Digital signage is often more expensive than relatively simple L.E.D. electronic signs, which makes it more sensible to garner as much utility from it as possible for maximum return on investment. Over time, though, this technology has become more affordable, resulting in digital signage being used in more venues,^[70] usually for non-emergency purposes such as displaying news, weather, directions, etc. Other emerging uses of digital signage related to emergency communication systems include: displaying building floorplans, maps, evacuation routes, and first responder situational awareness (such as showing a firefighter where a fire has been detected). Some commercial solutions have also begun taking advantage of the sensibility in combining emergency and non-emergency communications, such as Siemens Sygnal, Exhibio, FourWinds, MessageNet Connections and Scala. Currently, there do not appear to be any non-commercial methods to address this.

▪ **Giant Voice Systems**

A system focused on providing auditory messaging capability for large outdoor areas, being able to project voice and sounds over large distances, without the need for a large number of speakers. These systems are commonly used on military bases and chemical manufacturing plants, for example. These technologies allow specific instructions to be broadcast over a large area, however they may be subject to substantial echo and weather-related effects; and furthermore, environmental noise may interfere with their effectiveness.^[71] This forces unnatural speech, on the part of the warning originator, and may render the communication difficult for the listener to comprehend. This fact has prompted some to primarily rely on tones and coded signals that the audience must be familiar with in advance. Even though these can be heard over a large area, the high-powered speakers require a connection to the communication originator via some sort of infrastructure, meaning they might have a certain level of vulnerability to disruption in the collection infrastructure. The alternative to the use of Giant Voice systems is to deploy large arrays of smaller lower power speakers, this approach also allows for greater specificity of message by location. When properly synchronized these speaker arrays can deliver more comprehensible speech, however these arrays will involve larger amounts of supporting infrastructure. Siemens and Federal Signal are two of the major commercial providers of Giant Voice systems being actively deployed at military bases, government facilities and industry, currently; with Federal Signal being one of the first providers of these types of systems, after the Pearl Harbor attack.



Speakers used for Giant Voice systems

Communication devices

There are primarily two major types of communication devices: those for individual people and those for groups of people. Public Communication Devices are the devices that are designed to deliver a communication to more than one person as a single process at the same time. Examples include a digital electronic sign, a loud speaker that is part of a PA system, or a large flat panel display on a wall. A private communication device is a device that is designed to deliver communication to one person at a time through a single process. Typically, a single person is in control of such a device which is usually not shared. Examples include a cell phone, a text message on the cell phone, an email, or a message over a 2 way radio.

Public and shared devices

Public communication refers to the conveyance of messages to people, in such a way that anyone may receive the communication at nearly the same time as anyone else, typically using a common device. The most common way of facilitating public communications is by using devices that are incorporated into some public venue, such as public-address systems or digital signage. Using public devices for the purpose of public warning empowers people at risk to take actions to reduce losses from natural hazards, accidents, and acts of terrorism.^[72]

Private devices

"Private" means the delivery of messages to a specific individual, in a private manner or in such a way that even those nearby may not get the message. Common ways of facilitating private communications involve devices such as telephones or electronic mail.

Mobile phones

Mobiles phones may be considered a private communication device, because they are usually associated with or owned by a single individual. One possible limitation of using mobile phones for emergency communications, in a bomb-threat situation, for example, might include the potential of cellular networks being disabled for fear that a bomb might be detonated using a cellular phone.

Line-based phones

These phones, in whole or in part (e.g. a cordless telephone with base station), are physically connected to and rely upon a wire (often called a landline) to operate. As with mobile phones, these are often associated with a single person, family or business. Regardless, this method may be considered private due to a single phone device's inherent weakness in reaching large numbers of people at the same time.

SMS/Text messaging



Example of an emergency SMS text message on a mobile phone. This exemplifies one potential weakness of using SMS for emergency communications, namely that messages can be forged.

SMS text messages should be considered a type of private communication because they are directed toward a specific mobile phone number; and, thus, they are designed to reach one person at a time without the general public knowing anything about the message. A limitation in using SMS messaging for emergencies might be that it doesn't meet the needs of emergency communication: that is, it must be highly reliable, be secure, have excellent access control, and high-speed delivery.^[73]

Social Media - Syndicated Emergency Communications

- Twitter is an online social networking and micro-blogging service utilizing SMS text messaging. While it wasn't intended or designed for high performance communication, the idea that it could be used for emergency communication certainly was not lost on the originators, who knew that the service could have wide-reaching effects early on, when the San-Francisco, California-based company used it to communicate during earthquakes.^[74]
- Facebook may have potential for emergency communication, as it has a large involved user-base.

Electronic mail

Email should be considered a type of private communication because it is sent to a specific email address, which is associated with a person. Emails can be sent to multiple people, but even this results in multiple individual copies of the email that are ultimately sent to their individual recipients.

Emergency-oriented instant messengers and computer screen pop-ups

Personal computer instant messengers have become popular and inexpensive technologies by which to deliver emergency communications to broad or specific audiences in a short period of time. With this technology, emergency communications will "pop up" on the personal computer screens as a new window that sits on top of any other window that may be open on the screen at the time. This technology utilizes LAN and/or WAN networks to deliver short messages, often less than about 120 characters in length, typically in real time. The speed of modern LAN and WAN technologies and the shortness of such messages makes it possible to deliver emergency messages to thousands of computer screens in less than a minute's time.

In private communications, a computer pop-up can be targeted to a specific user, i.e. one that is logged into the computer or is associated with that computer in some way. The emergency communication system should be able to define the relationship between the user and his or her computer. A potential limitation of this is that if a user is not logged in, then the operating system may not allow any messages to display.

In the case of public-oriented emergency communications, a computer pop-up ability might prove useful for public computers or interactive kiosks where more than one person might use it, or for computers with displays that are in prominent locations. In this case, the pop-up might also need to be easily read from a distance, and be able to get attention — similar to how a digital sign may



Example of an emergency-oriented scrolling instant messenger

be used. These might be structured as a notification window with static non-moving text, or as a window with scrolling text.

Emergency communications may require certain attributes that are not commonly found in standard instant messengers; here is a list of attributes that may prove valuable to emergency-oriented instant messengers:

- - Prevents the user from killing the program, which would prevent the delivery of emergency messages.
 - Delivers emergency messages in a large font that can be easily read a substantial distance from the screen.
- - Scrolls the message across the screen to attract attention and to ensure that the entire message can be displayed without any user effort. Scrolling the message may also allow for the use of a large font and readability from a distance.
 - Non-chat-oriented, ensuring that the software will be set up for a large scrolling font.
 - Supports many priorities for messages, ensuring that emergency messages are not lost in the crowd of common messages that may appear in the computer screen.
 - Supports a non-counterfeit-able signature as part of the message to insure the recipient that the communication can be trusted and that it comes from a known authority.
 - Supports both one-to-one and one to many communication.
 - Emergency-oriented instant messenger requires that the sender of the message have the ability to update messages that are appearing on users PC screens without the recipient needing to take any action.
 - The sender of an emergency message must have the ability to terminate the display (remove) a message from display on all of the screens that display the message by closing the window in which it is displayed.
 - Supports communications to arbitrary groups of PC, by lists of PC, by lists of users, and by IP address ranges. Each of these addressability options are optimal in specific circumstances and reduce the labor of administration.



Example of an emergency-oriented scrolling instant messenger

Using instant messaging for emergency communications may also present some limitations:

- - If the PC is not connected to the network, it will not display the message. This means that the network is another potential point of failure.
 - If the PC is logged off or if the screen saver is active and requires a password to access the screen, then conventional knowledge posits that it will prevent the delivery of the emergency message.

In addition to some well-known instant messengers, for example ICQ and AIM, a variety of specialized instant messengers exist that are intended for use in emergency communications. The commercially-available products sold by RedAlert and Desktop Alert are examples of specialized instant messengers that claim to provide a relatively narrow set of message delivery capabilities within a smaller subset of an overall ECS.^{[75][76]} Other commercial offerings MessageNet Connections, React Systems, and Siemens Sygnal also provide instant messengers that are sold to be used in conjunction with other communication equipment such as phones, and digital signage as part of an integrated and whole emergency communication system.^{[77][78][79][80]}

Limitations

Depending on the location, time, and nature of the emergency, a large variety of limitations could present themselves when it comes to communicating details of an emergency and any resultant actions that may need to be taken to protect life and property. For example, an audio public address system might be rendered ineffective if the emergency happens to be an explosive event which renders most or all of those affected deaf. Another common example might be the limitation of a fire alarm's siren component in a deaf school. Yet another example of a limitation could be the overloading of public services (such as cellular phone networks), resulting in the delay of vital SMS messages until they are too late. An effective emergency communication system should arguably be able to overcome as many of these potential limitations, as possible.

See also

- Emergency Notification System
- Common Alerting Protocol
- Civil defense siren
- Public safety network
- Office of Emergency Management
- Emergency Management
- Emergency Management Information System
- Emergency management software
- Emergency Control Centre

External links

Government agencies

- U.S. Department of Homeland Security (<https://www.dhs.gov/>)
- U.S. Federal Emergency Management Agency (<http://www.fema.gov>)
- National Oceanic and Atmospheric Administration (<http://www.noaa.gov>)
- National Weather Service (<http://www.nws.noaa.gov>)
- Met Office (<http://www.metoffice.gov.uk>)
- European Centre for Medium-Range Weather Forecasts (<http://www.ecmwf.int>)
- United Nations Office for the Coordination of Humanitarian Affairs (UNOCHA) (<http://www.unocha.org>)
- National Tribal Emergency Management Council (<http://www.ntemc.org>)

Miscellaneous resources

- Partnership for Public Warning (<http://www.ppw.us/ppw/index.html>)
- American Red Cross (<http://www.redcross.org/>)
- Skywarn National (<http://www.skywarn.org/>)
- American Radio Relay League (<http://www.arrl.org/>)
- International Federation of Red Cross and Red Crescent Societies (<http://www.ifrc.org>)
- World Meteorological Organization (<http://www.wmo.int>)
- International Association of Emergency Manag (<http://www.iaem.com>)
- Mobile & Multimobile Mass Communication Systems (<http://www.regroup.com>)

References

1. "Emergency Communication System". *Campus Safety*. Willamette University. Retrieved 4 April 2012.
2. "Definition of Communication". *Encyclopedia Britannica*. Merriam-Webster. Retrieved 31 July 2012.
3. "Definition of Notification". *Encyclopedia Britannica*. Merriam-Webster. Retrieved 31 July 2012.
4. Bejuri, Wan Mohd Yaakob Wan; Mohamad, Mohd Murtadha; Radzi, Raja Zahilah Raja Mod (2015). "A Proposal of Emergency Rescue Location (ERL) using Optimization of Inertial Measurement Unit (IMU) based Pedestrian Simultaneously Localization and Mapping (SLAM)" (PDF). *International Journal of Smart Home*. SERSC: Science & Engineering Research Support soCiety. **9** (12): 9–22. doi:10.14257/ijsh.2015.9.12.02. ISSN 1975-4094. Retrieved 12 January 2016.
5. Bejuri, Wan Mohd Yaakob Wan; Mohamad, Mohd Murtadha; Radzi, Raja Zahilah Raja Mod (2015). "Emergency Rescue Localization (ERL) using GPS, Wireless LAN and Camera" (PDF). *International Journal of Software Engineering and Its Applications*. SERSC: Science & Engineering Research Support soCiety. **9** (9): 217–232. doi:10.14257/ijseia.2015.9.9.19. ISSN 1738-9984. Retrieved 12 January 2016.
6. *STANDARDIZATION FOR EMERGENCY COMMUNICATIONS* (PDF). 25 West 43rd Street – Fourth Floor, New York, NY 10036: ANSI HOMELAND SECURITY STANDARDS PANEL. 2008. p. 7.
7. "Definition of Connotation". *Encyclopedia Britannica*. Merriam-Webster. Retrieved 31 July 2012.
8. Eli M. Noam. *What the World Trade Center Attack has Shown us About our Communications Networks* (PDF). Columbia Institute for Tele-Information, Columbia University, New York.
9. "Communication Breakdown On 9/11 - CBS News". *CBS News*.
10. New 9/11 tapes reveal confusion - US news - Life | NBC News (http://www.msnbc.msn.com/id/14375089/ns/us_news-life/t/new-tapes-show-communication-confusion/#.T-OK8LVDxjQ)
11. Brito, Jerry. "Sending Out an S.O.S.: Public Safety Communications Interoperability as a Collective Action Problem" (PDF). Mercatus Publications. Retrieved 16 April 2012.
12. Pittman, Elaine. "Little Progress on National Public Safety Network 10 Years After 9/11". Government Technology. Retrieved 18 April 2012.
13. "What is ham radio?". AARL National Association for Amateur Radio. Retrieved 18 April 2012.
14. 7/7 London Bombings - History of London on History (<http://www.history.co.uk/explore-history/history-of-london/london-bombings.html>)
15. 7/7 bomb rescue efforts hampered by communication failings | ZDNet (<http://www.zdnet.co.uk/news/networking/2006/06/05/77-bomb-rescue-efforts-hampered-by-communication-failings-39273086/>)
16. McCue, Andy (5 June 2006). "Communication failures hampered London bombing rescues". *ZDNet*. Retrieved 16 April 2012.
17. McCue, Andy. "7/7 bomb rescue efforts hampered by communication failings". *ZDNet UK*. Retrieved 17 April 2012.
18. "London Assembly 7 July Review Committee, follow-up re port" (PDF). London Assembly. Retrieved 17 April 2012.
19. Newcomb, Tim. "10 Deadliest Tornadoes in US History". *Nation*. Time. Retrieved 20 April 2012.

20. Sudekum Fisher, Maria (20 September 2011). "Joplin Tornado: NOAA To Issue Report On Communication Efforts". *Huffington Post*. Retrieved 20 April 2012.
21. Koenig, Robert. "Joplin tornado spurs weather service to make disaster-warning changes". *Region*. St. Louis Beacon. Retrieved 20 April 2012.
22. "Joplin tornado offers important lessons for disaster preparedness New report offers way forward to reduce deaths during dangerous tornadoes". National Oceanic and Atmospheric Administration. Retrieved 20 April 2012.
23. Adler, Eric. "In Joplin tornado's aftermath, NOAA considers warning system changes". *McClatchy Washington Bureau*. The Kansas City Star. Retrieved 20 April 2012.
24. Miller, Robert. "Hurricane Katrina: Communications & Infrastructure Impacts" (PDF). *Threats at our Threshold*. Retrieved 20 April 2012.
25. Donelan, Sean. "North American Network Operators Group". Merit Network, Inc. Retrieved 20 April 2012.
26. Nelson, Rex. "Remembering Hap Glaudi, Buddy D and WWL". Rex Nelson's Southern Fried. Retrieved 20 April 2012.
27. Krakow, Gary. "Ham radio operators to the rescue after Katrina Amateur radio networks help victims of the hurricane". MSNBC. Retrieved 20 April 2012.
28. Nadile, Lisa. "There's A Campus Emergency. Quick: What Should You Say? How Should You Say It? When Should You Say It? Who Should You Say It To? Virginia Tech and other schools look beyond the technology to create effective emergency communications systems". *NFPA Journal*. Retrieved 18 April 2012.
29. Jury Says Virginia Tech Didn't Do Enough During 2007 Campus Massacre « CBS Baltimore (<http://baltimore.cbslocal.com/2012/03/15/jury-says-virginia-tech-didnt-do-enough-during-2007-campus-massacre/>)
30. Hamblen, Matt. "Va. Tech tragedy led other schools to embrace emergency communications". *Computerworld*. Retrieved 18 April 2012.
31. April | 2012 | toddjasper (<http://toddjasper.com/2012/04/>)
32. Impressive early survey report on the Tohoku earthquake and Tsunami, Japan (<http://earthquake-report.com/2011/04/12/impressive-early-survey-report-on-the-tohoku-earthquake-and-tsunami-japan/>)
33. Q & A: What communications system can we rely on during an earthquake or other disasters? | EDUCATION IN JAPAN COMMUNITY Blog (<https://educationinjapan.wordpress.com/2011/03/31/q-a-what-communications-system-can-we-rely-on-during-an-earthquake-or-other-disasters/>)
34. Brush Talk: After the Wave: The Communications Lessons of 3.11 (<http://brushtalk.blogspot.com/2012/03/after-wave-communications-lessons-of.html>)
35. Lessons of a triple disaster : Nature : Nature Publishing Group (<http://www.nature.com/nature/journal/v483/n7388/full/483123a.html>)
36. http://www.kantei.go.jp/foreign/kan/topics/201106/pdf/chapter_ix.pdf
37. "12 Dead, 52 Hurt In Mass Shooting Inside Aurora Movie Theater". *The Denver Channel, 7 News*. 20 July 2012. Archived from the original on 21 July 2012. Retrieved 20 July 2012.
38. Carter, Chelsea (20 July 2012). "Gunman kills 12 in Colorado movie theater". *CNN*. Retrieved 20 July 2012.
39. Herbert, Geoff (20 July 2012). "Colorado shooter James Holmes targeted people leaving movie theater, witness says". *Syracuse.com*. Retrieved 23 July 2012.
40. Hurricane Sandy Causes "Failure To Communicate" « CBS Miami (<http://miami.cbslocal.com/2012/10/30/hurricane-sandy-causes-failure-to-communicate/>)
41. Karas, Rachel (29 October 2012). "Emergency contact numbers in the event of a 911 failure". *The Washington Post*.
42. Schmidt, Michael S.; Lipton, Eric (29 October 2012). "Hurricane Sandy a Chance at Redemption for FEMA". *The New York Times*.
43. FEMA to use Twitter During Disasters (<http://www.mbahro.com/News/tabid/110/entryid/199/FEMA-to-use-Twitter-During-Disasters.aspx>)
44. Ham radio operators on standby for Hurricane Sandy - WECT TV6-WECT.com:News, weather & sports Wilmington, NC (<http://www.wect.com/story/19928375/ham-radio-operators-on-standby-for-hurricane-sandy>)
45. "Sandy knocks out 25% of cell towers in its path". *CNN*. 31 October 2012.
46. After Sandy, communications slowly improve - Computerworld (http://www.computerworld.com/s/article/9233122/After_Sandy_communications_slowly_improve)

47. *Definition for Emergency*. Merriam-Webster.
48. *Selecting An Emergency Notification Vendor* (PDF). 750 Communications Parkway Columbus, Ohio 43214: Twenty First Century Communications. p. 5.
49. *top 5 Best Practices for Selecting an emergency alert System* (PDF). 9 Law Drive, Fairfield, NJ 07004: Timecruiser Computing Corporation. p. 2.
50. *Planning and Developing Effective Emergency Mass Notification Strategies for Hazardous Industrial Applications in the Post 9/11 Era*. (PDF). Federal Signal Corporation. 2009. p. 3.
51. *Wireless Emergency Communications Project*. Rehabilitation Engineering Research Center for Wireless Technologies.
52. Wimberly, Rick. "People will trust but verify emergency notifications". *Emergency Management Blogs*. Emergency Management. Retrieved 22 May 2012.
53. *Campus Violence Prevention and Response: Best Practices for Massachusetts Higher Education* (PDF). Applied Risk Management. 2008. p. 114.
54. *A National Strategy for Integrated Public Warning Policy and Capability* (PDF). 7515 Colshire Drive MS N655, McLean, VA 22102: Partnership for Public Warning. 2003. p. 19.
55. Yaccino, Steven (5 August 2012). "Gunman Kills 6 at a Sikh Temple Near Milwaukee". *The New York Times*. Retrieved 7 August 2012.
56. *Selecting An Emergency Notification Vendor* (PDF). 750 Communications Parkway Columbus, Ohio 43214: Twenty First Century Communications. p. 4.
57. *A National Strategy for Integrated Public Warning Policy and Capability* (PDF). 7515 Colshire Drive MS N655, McLean, VA 22102: Partnership for Public Warning. 2003. p. 22.
58. *Desirable Properties of a Nationwide Public Safety Communication System* (PDF). National Institute of Standards and Technology. 2012. p. 12.
59. Patrick Traynor, Ph.D. (2008). *Characterizing the Limitations of Third-Party EAS Over Cellular Text Messaging Services* (PDF). 266 Ferst Drive, Room 3138, Atlanta, GA 30332: Georgia Institute of Technology. p. 3.
60. "Military Giant Voice". *American Signal Corporation web site*. American Signal Corporation. Retrieved 6 April 2012.
61. *Active Shooter: How to Respond* (PDF). U.S. Department of Homeland Security. 2008. p. 3.
62. *Police radio communications during Century 16 shooting*. 2012. Event occurs at 02:55.
63. "Google to launch Wi-Fi balloon experiment - CNN.com". *CNN*. Retrieved 2016-02-26.
64. "Siemens Mass Notification Sygnal". *Siemens website*. Siemens. Retrieved 13 July 2012.
65. "Inova OnAlert". *Inova Solutions website*. Inova Solutions. Retrieved 13 July 2012.
66. "LED Electronic Signs — Visual PA". *MessageNet systems website*. MessageNet systems. Retrieved 13 July 2012.
67. Batagelj, Borut (2008). *Computer Vision and Digital Signage* (PDF). Chania, Crete, Greece: MIAUCE 2. p. 1.
68. Oglesby, Rodney; Adams (2009). "Enhancing Internal Communications in the Event of a Crisis at an Institution of Higher Education" (PDF). *Business Research Yearbook*. Global Business Perspectives. **XVI** (2): 228. Retrieved 10 August 2012.
69. Hajibabai, L. *An Agent-based Indoor Wayfinding Based on Digital Sign System* (PDF). Tehran, Iran. pp. 5, 7.
70. West, Philip (2005). *A Framework for Responsive Content Adaptation in Electronic Display Networks* (PDF). Department of Computer Science, Rhodes University.
71. *Understanding Notification Modalities* (PDF). p. 4.
72. *A National Strategy for Integrated Public Warning Policy and Capability* (PDF). 7515 Colshire Drive MS N655, McLean, VA 22102: Partnership for Public Warning. 2003. p. i.
73. Bambenek, John; Klus (2008). "Do Emergency Text Messaging Systems Put Students in More Danger?" (PDF). *Educause Quarterly* (3): 1. Retrieved 18 April 2012.
74. Mills, Alexander; Chen, Rui; Lee, JinKyu; Rao, H. Raghav (2009). "Web 2.0 Emergency Applications: How Yseful can Twitter be for Emergency Response?" (PDF). *Twitter for Emergency Management and Mitigation*: 3.
75. "Communication Methods". *commercial website*. Red Alert. Retrieved 10 August 2012.
76. "Instant Messaging". *commercial website*. Desktop Alert, Inc. Retrieved 10 August 2012.
77. "Mass Notification Products Overview". *commercial website*. AtHoc, Inc. Retrieved 10 August 2012.
78. "PC Pop-Ups Instant Messaging — PC Alert (for PC and Mac)". *commercial website*. MessageNet systems, Inc. Retrieved 10 August 2012.

79. "Product Features". *commercial website*. React Systems, Inc. Retrieved 10 August 2012.

80. "Siemens Mass Notification Sygnal". *commercial website*. Siemens Industry, Inc. Retrieved 10 August 2012.

Retrieved from "https://en.wikipedia.org/w/index.php?title=Emergency_communication_system&oldid=756327941"

Categories: Emergency communication | Emergency population warning systems

- This page was last modified on 23 December 2016, at 13:57.
- Text is available under the Creative Commons Attribution-ShareAlike License; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.